



QUALITY-STYLE-INNOVATION

Dental Office Design



Quality Assurance

Woodside Industries has over 19 years of experience in manufacturing and finishing custom cabinetry and countertops for a range of commercial, industrial and construction clients.

We are a member of the Architectural Woodworking Institute's Quality Certification Program (QCP) on laminate and wood cabinetry.

Our passion is creating high quality finished products that exceed the expectations of our customers.

Even after installation is complete we are committed to our products and stand behind our workmanship to guarantee our customers satisfaction.

Our custom solution services for any industry include, but aren't limited to, commercial cabinetry, architectural millwork and trim, industrial casework or institutional casework, dental and medical grade cabinets and countertops, display cases, custom office furniture, custom office desks, and many more custom build solution services.



Check In



Treatment Areas



Center island units and side units

Plam and acrylic dividers to save space but provide privacy



Sterilization Areas

Side mount
tray racks in
glass door
cabinets

Undermount
sink and trash
drop grommet



Rear mount
tray racks in
glass door
cabinets sized
for 21" oral
surgery trays

Stainless steel
inserts with
commercial
grade heavy
duty roll-out
shelves

Special Features



Center sterile unit with stainless insert and trash drop, glass front cabinets and cubby holes

Unique 3D reception desk front with backlighting




Round sink
base at
handwashing
station



Glove box
grommets and
undermount
sink

Division 12 Plastic Laminate Cabinets

Our manufactured plastic laminate casework consists of cut to size panels with a flush overlay construction.



Cabinet Box Construction:

- 2 sided white melamine thermo fused to 3/4" particle board core
- 1/2" melamine back panels
- MDF or plywood core upgrade available

Exterior Finish:

- Vertical grade high pressure plastic laminate

Drawer Box:

- 1/2" melamine white standard
- 1/2" melamine bottom panel
- Wood dovetail upgrade available

Bases:

- Ladder type construction (unfinished exterior grade 3/4" plywood when scheduled base by others)

Edge Treatment:

- Doors and Drawer Fronts - 3mm PVC edgeband
- Cabinet Face & Shelf Edges - .5mm PVC edgeband




Countertops

A

- Horizontal grade high pressure plastic laminate on 3/4" particle board
- Water resistant substrate with backer sheet and 1 1/2" build-up around outside edges

B

- Plam countertop with 3mm PVC edges @ 1 1/8" thick



C

- 1/2" solid surface on 3/4" particle board, water resistant substrate



D

- 3 cm Quartz countertops



Cabinet Hardware


Pulls:

- 96mm solid metal wire pulls - standard or upgrades available.
- Optional inset pulls (shown at right)



Hinges:

- Concealed Blum® 120° swing, clip-on style. Soft close upgrade available.
- Single Pivot Institutional Hinge Arm, Aximat® 300, opening angle 270°
- Doors up to 34" in height have 2 hinges per door.
- Doors 35" to 62" in height have 3 hinges per door.
- Doors 63" to 80" in height have 4 hinges per door.
- All doors have rubber bumpers.



Drawer Slides:

- Regular, kneespace and pencil: Blum® 230, 3/4 extension, 100 lb. load rated epoxy coated steel, bottom corner mounted with smooth and quiet nylon rollers. Soft close feature upgrade available.
- Ball-Bearing: KV Tru-Trac® TT100, full extension, 100 lb. load rated with smooth ball-bearing operation and no-rebound.
- File: Blum® 430, full extension, 100 lb. load rated epoxy coated steel, bottom corner mounted with smooth and quiet nylon rollers. Soft close feature upgrade available.



Shelf Adjustment:

- 32mm line bore


Adjustable Shelf Supports:

- 5mm aluminum shelf pins, 4 pins per shelf for most projects
- Injection molded transparent polycarbonate friction fit into cabinet end panels and vertical dividers, adjustable on 32mm centers. Each shelf support has 2 integral support pins, 5mm diameter, to interface pre-drilled holes, and to prevent accidental rotation of support. The support automatically adapts to 3/4" or 1" thick shelving and provides non-tip feature for shelving for schools.
- Supports may be field fixed if desired.



Locks:

- Removable core, disc tumbler, cam style lock with strike. Lock for sliding 3/4" thick doors is a disc type plunger lock, sliding door type with strike. Lock for sliding glass/acrylic doors is a ratchet type sliding showcase lock.
- Elbow catch or chain bolt used to secure inactive door on all locked cabinets.





WI WOODSIDE
INDUSTRIES

Cavalier, ND - Main Office
Phone: 701-265-8212
Email: rodney@woodsideind.com

Kalispell, MT Office
Phone: 406-756-9880
Email: dwayne@woodsideind.com

Burnsville, MN Office
Phone: 833-966-3463
Email: greg@woodsideind.com